



P9	Pearson Correlation	,356	,196	-,089	,630**	-,089	,259	,196	-,062	1	,259	,570**
	Sig. (2-tailed)	,053	,299	,640	,000	,640	,167	,299	,745		,167	,001
	N	30	30	30	30	30	30	30	30	30	30	30
P10	Pearson Correlation	,356	,523**	-,089	-,111	-,089	,259	,523**	-,062	,259	1	,570**
	Sig. (2-tailed)	,053	,003	,640	,559	,640	,167	,003	,745	,167		,001
	N	30	30	30	30	30	30	30	30	30	30	30
TOTAL	Pearson Correlation	,489**	,717**	,395*	,414*	,395*	,570**	,579**	,144	,570**	,570**	1
	Sig. (2-tailed)	,006	,000	,031	,023	,031	,001	,001	,449	,001	,001	
	N	30	30	30	30	30	30	30	30	30	30	30

\*\* . Correlation is significant at the 0.01 level (2-tailed).

\* . Correlation is significant at the 0.05 level (2-tailed).

#### Case Processing Summary

		N	%
Cases	Valid	30	100,0
	Excluded <sup>a</sup>	0	,0
	Total	30	100,0

a. Listwise deletion based on all variables in the procedure.

#### Item Statistics

	Mean	Std. Deviation	N
P1	,93	,254	30
P2	,87	,346	30
P3	,93	,254	30
P4	,90	,305	30
P5	,93	,254	30
P6	,90	,305	30
P7	,87	,346	30
P9	,90	,305	30
P10	,90	,305	30

#### Item-Total Statistics



P5	Pearson Correlation	,293	,267	,683**	,757**	1	,400*	-,043	-,145	-,189	,029	,586**
	Sig. (2-tailed)	,116	,154	,000	,000		,028	,822	,443	,317	,878	,001
	N	30	30	30	30	30	30	30	30	30	30	30
P6	Pearson Correlation	,224	,111	,000	,264	,400*	1	,539**	,375*	,118	-,367*	,474**
	Sig. (2-tailed)	,235	,559	1,000	,159	,028		,002	,041	,534	,046	,008
	N	30	30	30	30	30	30	30	30	30	30	30
P7	Pearson Correlation	,088	,196	,088	,207	-,043	,539**	1	,784**	,479**	-,026	,585**
	Sig. (2-tailed)	,645	,299	,645	,272	,822	,002		,000	,007	,891	,001
	N	30	30	30	30	30	30	30	30	30	30	30
P8	Pearson Correlation	,000	,111	,000	,075	-,145	,375*	,784**	1	,709**	-,033	,512**
	Sig. (2-tailed)	1,000	,559	1,000	,692	,443	,041	,000		,000	,861	,004
	N	30	30	30	30	30	30	30	30	30	30	30
P9	Pearson Correlation	-,035	,079	-,035	,024	-,189	,118	,479**	,709**	1	,200	,437*
	Sig. (2-tailed)	,853	,679	,853	,901	,317	,534	,007	,000		,289	,016
	N	30	30	30	30	30	30	30	30	30	30	30
P10	Pearson Correlation	,239	,312	,239	,111	,029	-,367*	-,026	-,033	,200	1	,349
	Sig. (2-tailed)	,203	,093	,203	,560	,878	,046	,891	,861	,289		,059
	N	30	30	30	30	30	30	30	30	30	30	30
TOTAL	Pearson Correlation	,562**	,626**	,604**	,688**	,586**	,474**	,585**	,512**	,437*	,349	1
L	Sig. (2-tailed)	,001	,000	,000	,000	,001	,008	,001	,004	,016	,059	
	N	30	30	30	30	30	30	30	30	30	30	30

\*\* . Correlation is significant at the 0.01 level (2-tailed).

\* . Correlation is significant at the 0.05 level (2-tailed).

#### Case Processing Summary

		N	%
Cases	Valid	30	100,0
	Excluded <sup>a</sup>	0	,0
	Total	30	100,0

a. Listwise deletion based on all variables in the procedure.

#### Item Statistics

	Mean	Std. Deviation	N
P1	3,83	,379	30
P2	3,90	,305	30
P3	3,83	,379	30
P4	3,73	,450	30
P5	3,70	,466	30
P6	3,80	,407	30
P7	3,87	,346	30
P8	3,80	,407	30
P9	3,77	,430	30

#### Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
P1	30,40	3,559	,386	,728
P2	30,33	3,609	,476	,718
P3	30,40	3,490	,438	,720
P4	30,50	3,155	,561	,696
P5	30,53	3,292	,440	,720
P6	30,43	3,426	,440	,719
P7	30,37	3,482	,506	,711
P8	30,43	3,495	,390	,728
P9	30,47	3,706	,219	,757

#### Reliability Statistics

Cronbach's Alpha	N of Items
,745	9

### Uji validitas dan Realibilitas Kuesioner Norma Subjektif

#### Correlations

		P1	P2	P3	P4	P5	P6	P7	P8	P9	P10	TOTAL
P1	Pearson Correlation	1	,607**	,126	,413*	,600**	-,040	-,103	,301	,134	,191	,673**



	Pearson	,673**	,646**	,619**	,565**	,537**	,379*	,080	,493**	,443*	,391*	1
TOTAL	Correlation											
L	Sig. (2-tailed)	,000	,000	,000	,001	,002	,039	,675	,006	,014	,033	
	N	30	30	30	30	30	30	30	30	30	30	30

\*\* . Correlation is significant at the 0.01 level (2-tailed).

\* . Correlation is significant at the 0.05 level (2-tailed).

#### Case Processing Summary

		N	%
Valid		30	100,0
Cases Excluded <sup>a</sup>		0	,0
Total		30	100,0

a. Listwise deletion based on all variables in the procedure.

#### Item Statistics

	Mean	Std. Deviation	N
P1	3,53	,507	30
P2	3,47	,507	30
P3	3,57	,504	30
P4	3,43	,504	30
P5	3,60	,498	30
P6	3,27	,450	30
P8	3,20	,407	30
P9	3,50	,509	30
P10	3,60	,498	30

#### Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
P1	27,63	4,309	,552	,642
P2	27,70	4,355	,528	,647
P3	27,60	4,524	,444	,665
P4	27,73	4,754	,328	,688
P5	27,57	4,530	,449	,664
P6	27,90	5,059	,232	,704
P8	27,97	4,861	,392	,677





P4	Pearson	,520**	,433*	,177	1	,267	,267	,666**	,241	,189	-,141	,734**
	Correlation											
	Sig. (2-tailed)	,003	,017	,350		,155	,155	,000	,199	,317	,456	,000
	N	30	30	30	30	30	30	30	30	30	30	30
P5	Pearson	,191	,277	,264	,267	1	,489**	,223	-,206	-,040	,000	,459*
	Correlation											
	Sig. (2-tailed)	,311	,138	,159	,155		,006	,236	,275	,833	1,000	,011
	N	30	30	30	30	30	30	30	30	30	30	30
P6	Pearson	,191	-,031	,264	,267	,489**	1	,375*	-,077	-,040	-,151	,427*
	Correlation											
	Sig. (2-tailed)	,311	,872	,159	,155	,006		,041	,685	,833	,426	,019
	N	30	30	30	30	30	30	30	30	30	30	30
P7	Pearson	,413*	,302	-,067	,666**	,223	,375*	1	,241	,396*	,067	,746**
	Correlation											
	Sig. (2-tailed)	,023	,105	,724	,000	,236	,041		,199	,031	,724	,000
	N	30	30	30	30	30	30	30	30	30	30	30
P8	Pearson	,137	-,279	-,171	,241	-,206	-,077	,241	1	,433*	-,171	,290
	Correlation											
	Sig. (2-tailed)	,471	,136	,367	,199	,275	,685	,199		,017	,367	,120
	N	30	30	30	30	30	30	30	30	30	30	30
P9	Pearson	,205	,082	,134	,189	-,040	-,040	,396*	,433*	1	,134	,532**
	Correlation											
	Sig. (2-tailed)	,276	,667	,481	,317	,833	,833	,031	,017		,481	,002
	N	30	30	30	30	30	30	30	30	30	30	30
P10	Pearson	,000	,136	-,167	-,141	,000	-,151	,067	-,171	,134	1	,154
	Correlation											
	Sig. (2-tailed)	1,000	,473	,379	,456	1,000	,426	,724	,367	,481		,416
	N	30	30	30	30	30	30	30	30	30	30	30
TOTAL	Pearson	,705**	,550**	,337	,734**	,459*	,427*	,746**	,290	,532**	,154	1
	Correlation											
	Sig. (2-tailed)	,000	,002	,069	,000	,011	,019	,000	,120	,002	,416	
	N	30	30	30	30	30	30	30	30	30	30	30

\*\* . Correlation is significant at the 0.01 level (2-tailed).

\* . Correlation is significant at the 0.05 level (2-tailed).

#### Case Processing Summary

		N	%
Cases	Valid	30	100,0
	Excluded <sup>a</sup>	0	,0
	Total	30	100,0

a. Listwise deletion based on all variables in the procedure.

**Item Statistics**

	Mean	Std. Deviation	N
P1	3,53	,507	30
P2	3,60	,498	30
P4	3,33	,479	30
P5	3,73	,450	30
P6	3,73	,450	30
P9	3,47	,507	30
P7	3,43	,504	30

**Item-Total Statistics**

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
P1	21,30	3,183	,579	,674
P2	21,23	3,426	,441	,708
P4	21,50	3,155	,648	,659
P5	21,10	3,679	,352	,727
P6	21,10	3,748	,309	,736
P9	21,37	3,826	,204	,763
P7	21,40	3,076	,655	,655

**Reliability Statistics**

Cronbach's Alpha	N of Items
,737	7

## Uji validitas dan Realibilitas Kuesioner Pengelolaan Sampah

### Correlations



	N	30	30	30	30	30	30	30	30	30	30	30
p10	Pearson Correlation	-,073	-,154	-,175	-,196	-,131	-,073	-,073	,523**	1,000**	1	,391*
	Sig. (2-tailed)	,702	,417	,354	,299	,491	,702	,702	,003	,000		,032
	N	30	30	30	30	30	30	30	30	30	30	30
Total	Pearson Correlation	,379*	,528**	,602**	,673**	,449*	,379*	,379*	,526**	,391*	,391*	1
	Sig. (2-tailed)	,039	,003	,000	,000	,013	,039	,039	,003	,032	,032	
	N	30	30	30	30	30	30	30	30	30	30	30

\*\* . Correlation is significant at the 0.01 level (2-tailed).

\* . Correlation is significant at the 0.05 level (2-tailed).

#### Case Processing Summary

		N	%
Cases	Valid	30	100,0
	Excluded <sup>a</sup>	0	,0
	Total	30	100,0

a. Listwise deletion based on all variables in the procedure.

#### Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
p1	7,97	1,964	,265	,598
p2	8,07	1,720	,325	,579
p3	8,10	1,610	,394	,559
p4	8,13	1,499	,471	,533
p5	8,03	1,826	,259	,595
p6	7,97	1,964	,265	,598
p7	7,97	1,964	,265	,598
p8	8,03	1,757	,350	,574
p9	8,07	1,857	,166	,620
p10	8,07	1,857	,166	,620

#### Reliability Statistics

Cronbach's Alpha	N of Items
,614	10

### Lampiran. 7 Output Analisis Univariat

#### Pengetahuan

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Kurang Baik	51	48,1	48,1	48,1
Baik	55	51,9	51,9	100,0
Total	106	100,0	100,0	

#### PengelolaanSampah

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Kurang Baik	58	54,7	54,7	54,7
Baik	48	45,3	45,3	100,0
Total	106	100,0	100,0	

#### Sikap

	Frequency	Percent	Valid Percent	Cumulative Percent
--	-----------	---------	---------------	-----------------------

	Kurang Baik	50	47,2	47,2	47,2
Valid	Baik	56	52,8	52,8	100,0
	Total	106	100,0	100,0	

#### NormaSubjektif

	Frequency	Percent	Valid Percent	Cumulative Percent
	Negatif	31	29,2	29,2
Valid	Positif	75	70,8	100,0
	Total	106	100,0	100,0

#### KontrolTerhadapPerilaku

	Frequency	Percent	Valid Percent	Cumulative Percent
	Negatif	58	54,7	54,7
Valid	Positif	48	45,3	100,0
	Total	106	100,0	100,0

### Lampiran 8. Analisis Bivariat

#### Pengetahuan \* PengelolaanSampah

##### Crosstab

		PengelolaanSampah		Total	
		Kurang Baik	Baik		
Pengetahuan	Kurang Baik	Count	45	6	51
		% within Pengetahuan	88,2%	11,8%	100,0%
		% within PengelolaanSampah	77,6%	12,5%	48,1%
	% of Total	42,5%	5,7%	48,1%	
	Baik	Count	13	42	55
		% within Pengetahuan	23,6%	76,4%	100,0%
% within PengelolaanSampah		22,4%	87,5%	51,9%	
% of Total	12,3%	39,6%	51,9%		
Total	Count	58	48	106	
	% within Pengetahuan	54,7%	45,3%	100,0%	
	% within PengelolaanSampah	100,0%	100,0%	100,0%	
	% of Total	54,7%	45,3%	100,0%	

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	44,568 <sup>a</sup>	1	,000		
Continuity Correction <sup>b</sup>	41,999	1	,000		
Likelihood Ratio	48,903	1	,000		
Fisher's Exact Test				,000	,000
Linear-by-Linear Association	44,147	1	,000		
N of Valid Cases	106				

a. 0 cells (,0%) have expected count less than 5. The minimum expected count is 23,09.

b. Computed only for a 2x2 table

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Pengetahuan (Kurang Baik / Baik)	24,231	8,439	69,575
For cohort PengelolaanSampah = Kurang Baik	3,733	2,297	6,066
For cohort PengelolaanSampah = Baik	,154	,072	,331
N of Valid Cases	106		

## SIKAP \* PENGELOLAAN SAMPAH

### Crosstab

		PengelolaanSampah		Total
		Kurang Baik	Baik	
Sikap	Count	24	26	50
	% within Sikap	48,0%	52,0%	100,0%
	% within PengelolaanSampah	41,4%	54,2%	47,2%
	% of Total	22,6%	24,5%	47,2%
Baik	Count	34	22	56
	% within Sikap	60,7%	39,3%	100,0%
	% within PengelolaanSampah	58,6%	45,8%	52,8%

Total	% of Total	32,1%	20,8%	52,8%
	Count	58	48	106
	% within Sikap	54,7%	45,3%	100,0%
	% within PengelolaanSampah	100,0%	100,0%	100,0%
	% of Total	54,7%	45,3%	100,0%

#### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1,723 <sup>a</sup>	1	,189		
Continuity Correction <sup>b</sup>	1,248	1	,264		
Likelihood Ratio	1,727	1	,189		
Fisher's Exact Test				,242	,132
Linear-by-Linear Association	1,707	1	,191		
N of Valid Cases	106				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 22,64.

b. Computed only for a 2x2 table

#### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Sikap (Kurang Baik / Baik)	,597	,276	1,292
For cohort PengelolaanSampah = Kurang Baik	,791	,553	1,130
For cohort PengelolaanSampah = Baik	1,324	,869	2,016
N of Valid Cases	106		

### NORMASUBJEKTIF \* PENGELOLAAN

#### Crosstab

			PengelolaanSampah		Total
			Kurang Baik	Baik	
NormaSubjektif	Negatif	Count	20	11	31



	% within NormaSubjektif	64,5%	35,5%	100,0%
	% within PengelolaanSampah	34,5%	22,9%	29,2%
	% of Total	18,9%	10,4%	29,2%
	Count	38	37	75
Positif	% within NormaSubjektif	50,7%	49,3%	100,0%
	% within PengelolaanSampah	65,5%	77,1%	70,8%
	% of Total	35,8%	34,9%	70,8%
	Count	58	48	106
Total	% within NormaSubjektif	54,7%	45,3%	100,0%
	% within PengelolaanSampah	100,0%	100,0%	100,0%
	% of Total	54,7%	45,3%	100,0%

#### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1,698 <sup>a</sup>	1	,193		
Continuity Correction <sup>b</sup>	1,185	1	,276		
Likelihood Ratio	1,719	1	,190		
Fisher's Exact Test				,207	,138
Linear-by-Linear Association	1,682	1	,195		
N of Valid Cases	106				

a. 0 cells (,0%) have expected count less than 5. The minimum expected count is 14,04.

b. Computed only for a 2x2 table

#### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for NormaSubjektif (Negatif / Positif)	1,770	,746	4,200
For cohort PengelolaanSampah = Kurang Baik	1,273	,903	1,795
For cohort PengelolaanSampah = Baik	,719	,425	1,219

N of Valid Cases	106	
------------------	-----	--

## KONTROL TERHADAP PERILAKU \* PENGELOLAAN SAMPAH

### Crosstab

			Pengelolaan Sampah		Total
			Kurang Baik	Baik	
Kontrol Terhadap Perilaku	Negatif	Count	45	13	58
		% within Kontrol Terhadap Perilaku	77,6%	22,4%	100,0%
		% within Pengelolaan Sampah	77,6%	27,1%	54,7%
		% of Total	42,5%	12,3%	54,7%
	Positif	Count	13	35	48
		% within Kontrol Terhadap Perilaku	27,1%	72,9%	100,0%
		% within Pengelolaan Sampah	22,4%	72,9%	45,3%
		% of Total	12,3%	33,0%	45,3%
	Total	Count	58	48	106
% within Kontrol Terhadap Perilaku		54,7%	45,3%	100,0%	
% within Pengelolaan Sampah		100,0%	100,0%	100,0%	
% of Total		54,7%	45,3%	100,0%	

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	27,036 <sup>a</sup>	1	,000		
Continuity Correction <sup>b</sup>	25,036	1	,000		
Likelihood Ratio	28,207	1	,000		
Fisher's Exact Test				,000	,000
Linear-by-Linear Association	26,781	1	,000		
N of Valid Cases	106				

a. 0 cells (,0%) have expected count less than 5. The minimum expected count is 21,74.

b. Computed only for a 2x2 table

### Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper

Odds Ratio for Kontrol Terhadap Perilaku (Negatif / Positif)	9,320	3,840	22,618
For cohort	2,865	1,765	4,650
Pengelolaan Sampah = Kurang Baik			
For cohort	,307	,185	,511
Pengelolaan Sampah = Baik			
N of Valid Cases	106		

## Lampiran 9. Distribusi Frekuensi Pertanyaan Penelitian

### 1. Variabel Pengetahuan

#### Pertanyaan1

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Salah	30	28,3	28,3	28,3
Valid Benar	76	71,7	71,7	100,0
Total	106	100,0	100,0	

#### Pertanyaan2

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Salah	43	40,6	40,6	40,6
Valid Benar	63	59,4	59,4	100,0
Total	106	100,0	100,0	

**Pertanyaan3**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Salah	43	40,6	40,6	40,6
Valid Benar	63	59,4	59,4	100,0
Total	106	100,0	100,0	

**Pertanyaan4**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Salah	37	34,9	34,9	34,9
Valid Benar	69	65,1	65,1	100,0
Total	106	100,0	100,0	

**Pertanyaan5**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Salah	34	32,1	32,1	32,1
Valid Benar	72	67,9	67,9	100,0
Total	106	100,0	100,0	

**Pertanyaan6**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Salah	38	35,8	35,8	35,8
Valid Benar	68	64,2	64,2	100,0
Total	106	100,0	100,0	

**Pertanyaan7**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Salah	63	59,4	59,4	59,4
Valid Benar	43	40,6	40,6	100,0
Total	106	100,0	100,0	

**Pertanyaan8**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Salah	44	41,5	41,5	41,5
Benar	62	58,5	58,5	100,0
Total	106	100,0	100,0	

**Pertanyaan9**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Salah	62	58,5	58,5	58,5
Benar	44	41,5	41,5	100,0
Total	106	100,0	100,0	

**2. Variabel Sikap**

**Pertanyaan1**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid STS	1	,9	,9	,9
TS	6	5,7	5,7	6,6
S	69	65,1	65,1	71,7
SS	30	28,3	28,3	100,0
Total	106	100,0	100,0	

**Pertanyaan2**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid STS	2	1,9	1,9	1,9
TS	10	9,4	9,4	11,3
S	73	68,9	68,9	80,2
SS	21	19,8	19,8	100,0
Total	106	100,0	100,0	

**Pertanyaan3**

	Frequency	Percent	Valid Percent	Cumulative Percent
STS	2	1,9	1,9	1,9
TS	2	1,9	1,9	3,8
Valid S	61	57,5	57,5	61,3
SS	41	38,7	38,7	100,0
Total	106	100,0	100,0	

**Pertanyaan4**

	Frequency	Percent	Valid Percent	Cumulative Percent
STS	1	,9	,9	,9
TS	19	17,9	17,9	18,9
Valid S	78	73,6	73,6	92,5
SS	8	7,5	7,5	100,0
Total	106	100,0	100,0	

**Pertanyaan5**

	Frequency	Percent	Valid Percent	Cumulative Percent
STS	3	2,8	2,8	2,8
TS	6	5,7	5,7	8,5
Valid S	62	58,5	58,5	67,0
SS	35	33,0	33,0	100,0
Total	106	100,0	100,0	

**Pertanyaan6**

	Frequency	Percent	Valid Percent	Cumulative Percent
STS	4	3,8	3,8	3,8
TS	58	54,7	54,7	58,5
Valid S	43	40,6	40,6	99,1
SS	1	,9	,9	100,0
Total	106	100,0	100,0	

**Pertanyaan7**

	Frequency	Percent	Valid Percent	Cumulative Percent
STS	1	,9	,9	,9
TS	3	2,8	2,8	3,8
Valid S	72	67,9	67,9	71,7
SS	30	28,3	28,3	100,0
Total	106	100,0	100,0	

**Pertanyaan8**

	Frequency	Percent	Valid Percent	Cumulative Percent
STS	1	,9	,9	,9
TS	5	4,7	4,7	5,7
Valid S	73	68,9	68,9	74,5
SS	27	25,5	25,5	100,0
Total	106	100,0	100,0	

**Pertanyaan9**

	Frequency	Percent	Valid Percent	Cumulative Percent
STS	12	11,3	11,3	11,3
TS	40	37,7	37,7	49,1
Valid S	53	50,0	50,0	99,1
SS	1	,9	,9	100,0
Total	106	100,0	100,0	

**3. Variabel Norma Subjektif****Pertanyaan1**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid STS	1	,9	,9	,9

	TS	68	64,2	64,2	65,1
	S	36	34,0	34,0	99,1
	SS	1	,9	,9	100,0
	Total	106	100,0	100,0	

**Pertanyaan2**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	TS	52	49,1	49,1	49,1
	S	51	48,1	48,1	97,2
	SS	3	2,8	2,8	100,0
	Total	106	100,0	100,0	

**Pertanyaan3**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	STS	1	,9	,9	,9
	TS	3	2,8	2,8	3,8
	S	73	68,9	68,9	72,6
	SS	29	27,4	27,4	100,0
	Total	106	100,0	100,0	

**Pertanyaan4**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	STS	3	2,8	2,8	2,8
	TS	29	27,4	27,4	30,2
	S	69	65,1	65,1	95,3
	SS	5	4,7	4,7	100,0
	Total	106	100,0	100,0	

**Pertanyaan5**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	STS	2	1,9	1,9	1,9



	TS	16	15,1	15,1	17,0
	S	82	77,4	77,4	94,3
	SS	6	5,7	5,7	100,0
	Total	106	100,0	100,0	

**Pertanyaan6**

		Frequency	Percent	Valid Percent	Cumulative Percent
	STS	2	1,9	1,9	1,9
	TS	28	26,4	26,4	28,3
Valid	S	71	67,0	67,0	95,3
	SS	5	4,7	4,7	100,0
	Total	106	100,0	100,0	

**Pertanyaan7**

		Frequency	Percent	Valid Percent	Cumulative Percent
	STS	2	1,9	1,9	1,9
	TS	44	41,5	41,5	43,4
Valid	S	59	55,7	55,7	99,1
	SS	1	,9	,9	100,0
	Total	106	100,0	100,0	

**Pertanyaan8**

		Frequency	Percent	Valid Percent	Cumulative Percent
	TS	40	37,7	37,7	37,7
	S	51	48,1	48,1	85,8
Valid	SS	15	14,2	14,2	100,0
	Total	106	100,0	100,0	

**Pertanyaan9**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	STS	4	3,8	3,8	3,8

TS	3	2,8	2,8	6,6
S	51	48,1	48,1	54,7
SS	48	45,3	45,3	100,0
Total	106	100,0	100,0	

#### 4. Variabel Kontrol Terhadap Perilaku

##### Pertanyaan1

	Frequency	Percent	Valid Percent	Cumulative Percent
STS	1	,9	,9	,9
Valid TS	71	67,0	67,0	67,9
S	34	32,1	32,1	100,0
Total	106	100,0	100,0	

##### Pertanyaan2

	Frequency	Percent	Valid Percent	Cumulative Percent
STS	2	1,9	1,9	1,9
Valid TS	64	60,4	60,4	62,3
S	37	34,9	34,9	97,2
SS	3	2,8	2,8	100,0
Total	106	100,0	100,0	

##### Pertanyaan3

	Frequency	Percent	Valid Percent	Cumulative Percent
STS	3	2,8	2,8	2,8
Valid TS	53	50,0	50,0	52,8
S	49	46,2	46,2	99,1
SS	1	,9	,9	100,0
Total	106	100,0	100,0	

##### Pertanyaan4

	Frequency	Percent	Valid Percent	Cumulative Percent
STS	1	,9	1,0	1,0
TS	3	2,8	2,9	3,8
Valid S	85	80,2	81,0	84,8
SS	16	15,1	15,2	100,0
Total	105	99,1	100,0	
Total	106	100,0		

**Pertanyaan5**

	Frequency	Percent	Valid Percent	Cumulative Percent
STS	3	2,8	2,8	2,8
TS	14	13,2	13,2	16,0
Valid S	77	72,6	72,6	88,7
SS	12	11,3	11,3	100,0
Total	106	100,0	100,0	

**Pertanyaan6**

	Frequency	Percent	Valid Percent	Cumulative Percent
STS	2	1,9	1,9	1,9
TS	69	65,1	65,7	67,6
Valid S	32	30,2	30,5	98,1
SS	2	1,9	1,9	100,0
Total	105	99,1	100,0	
Total	106	100,0		

**Pertanyaan7**

	Frequency	Percent	Valid Percent	Cumulative Percent
--	-----------	---------	---------------	--------------------

	STS	1	,9	,9	,9
Valid	TS	36	34,0	34,0	34,9
	S	69	65,1	65,1	100,0
	Total	106	100,0	100,0	

## 5. Variabel Pengelolaan Sampah

### Pertanyaan1

		Frequency	Percent	Valid Percent	Cumulative Percent
	TIDAK	9	8,5	8,5	8,5
Valid	YA	97	91,5	91,5	100,0
	Total	106	100,0	100,0	

### Pertanyaan2

		Frequency	Percent	Valid Percent	Cumulative Percent
	TIDAK	48	45,3	45,3	45,3
Valid	YA	58	54,7	54,7	100,0
	Total	106	100,0	100,0	

### Pertanyaan3

		Frequency	Percent	Valid Percent	Cumulative Percent
	TIDAK	81	76,4	76,4	76,4
Valid	YA	25	23,6	23,6	100,0
	Total	106	100,0	100,0	

### Pertanyaan4

		Frequency	Percent	Valid Percent	Cumulative Percent
	TIDAK	70	66,0	66,0	66,0
Valid	YA	36	34,0	34,0	100,0
	Total	106	100,0	100,0	

### Pertanyaan5

	Frequency	Percent	Valid Percent	Cumulative Percent
TIDAK	44	41,5	41,5	41,5
Valid YA	62	58,5	58,5	100,0
Total	106	100,0	100,0	

**Pertanyaan6**

	Frequency	Percent	Valid Percent	Cumulative Percent
TIDAK	15	14,2	14,2	14,2
Valid YA	91	85,8	85,8	100,0
Total	106	100,0	100,0	

**Pertanyaan7**

	Frequency	Percent	Valid Percent	Cumulative Percent
TIDAK	48	45,3	45,3	45,3
Valid YA	58	54,7	54,7	100,0
Total	106	100,0	100,0	

**Pertanyaan8**

	Frequency	Percent	Valid Percent	Cumulative Percent
TIDAK	53	50,0	50,0	50,0
Valid YA	53	50,0	50,0	100,0
Total	106	100,0	100,0	

**Pertanyaan9**

	Frequency	Percent	Valid Percent	Cumulative Percent
TIDAK	38	35,8	35,8	35,8
Valid YA	68	64,2	64,2	100,0
Total	106	100,0	100,0	

**Pertanyaan10**

	Frequency	Percent	Valid Percent	Cumulative Percent
TIDAK	63	59,4	59,4	59,4
Valid YA	43	40,6	40,6	100,0
Total	106	100,0	100,0	

**MASTER TABEL**

**FAKTOR YANG BERHUBUNGAN DENGAN PENGELOLAAN SAMPAH  
PADA MASYARAKAT DI KECAMATAN KOTA BARU KOTA JAMBI**

