

Reaktor

p-ISSN 0852 – 0798

e-ISSN 2407 – 5973

Accredited: SK No.: 60/E/KPT/2016

Website : <http://ejournal.undip.ac.id/index.php/reaktor/>

Reaktor, Vol. 18 No. 4, December Year 2018

TITLES INDEX

Volume 18 Number 1 March 2018

- The Kinetics of Calcium Oxide Catalyzed Esterification of Glycerol with Free Fatty Acids Using Pseudo-homogeneous Model Approach** 1-6
Megawati, Dhoni Hartanto, Catur Rini Widyastuti, Diyah Saras Wati and Eny Nurhayati
- Process Parameters Optimization in Membrane Fabrication for Produced Water Treatment Using Response Surface Methodology (RSM) and Central Composite Design (CCD)** 7-15
Tutuk Djoko Kusworo, Dani Puji Utomo, Annizah Rahmatya Gerhana, and Hanifah Angga Putra
- The Kinetics of CaO Assisted Pattukku Charcoal Steam Gasification** 16-21
Takdir Syarif, Hary Sulisty, Wahyudi Budi Sediawan, and Budhijanto
- The Calcination Temperature Effect on the Antioxidant and Radioprotection Properties of CeO₂ Nanoparticles** 22-26
Iis Nurhasanah, Weni Safitri, Tri Windarti, and Agus Subagio
- Microwave Assisted Trans-esterification of Cotton Seed Oil for Biodiesel Production** 27-30
Andi Suryanto, Zakir Sabara, Andi Artiningsih, and Hardi Ismail
- The Utilization of Chicken Bone Flour as a Source of Calcium in Cookies Making** 31-37
Melanie Cornelia and Dhanny Prasetya Gozali
- Recovery of Aluminum from Aluminum Coated Plastic Waste using Pyrolysis Process** 38-44
Chairul Irawan, Rinny Jelita, and Iryanti Fatysari Nata
- Influence of Microwave Irradiation on Extraction of Chitosan from Shrimp Shell Waste** 45-50
Dwi Titik, Heru Susanto, and Nur Rokhati
- Effect of Alkaloids on Lactic Acid Fermentation from Cocoa Pod Husk using Lactobacillus Plantarum** 51-56
Dodi Irwanto, Wiratni, and Rochmadi

Volume 18 Number 2 June 2018

- Kinetic Study of Limonene and Glucose Adsorption on Immobilization and Co-immobilization Beads** 57-62
Astrilia Damayanti, Sarto, and Wahyudi Budi Sediawan

Accelerated Shelf Life Testing of Chocomix Using Critical Moisture Content Approach	63-70
Rifa Nurhayati, Rosi Pratiwi, Baskara Katri Anandito, Ervika Rahayu Novita Herawati, and Mukhammad Angwar	
Performance of Various Organic Solvents as Reaction Media in Plant Oil Lipolysis with Plant Lipase	71-75
Astri Nur Istyami, Tatang Hernas Soerawidjaja, Tirta Prakoso, and Made Tri Ari Penia Kresnowati	
Synthesis of Matrix Si-K-HAs Gel from Geothermal Sludge and Peat	76-83
Srie Muljani, Bambang Wahyudi, Suprihatin, and Ketut Sumada	
The Effects of Biofilm and Selective Mixed Culture in the Electricity Outputs and Wastewater Quality of Tempe Liquid Waste Based Microbial Fuel Cell	84-91
Rita Arbianti, Tania Surya Utami, Mariana, Nathania Dwi Karina, and Vifki Leondo	
Ultra-capacitor based Hybrid Electric Vehicle (Medium) for Developing Countries	92-101
Md. Zahid Hasan, Md. Rubaiat Adnan, Sabhasachi Saha, and Souvik Roy	
Recovery of Cu (II) and Cr (VI) Metals from Electroplating Liquid Waste Using Polymer Inclusion Membrane (PIM)	102-109
Muhammad Cholid Djunaidi, Nor Basid Adiwibawa Prasetya, Nur Asih Setyowati, Khabibi, and Khoirun Nita Ulfia	
Dealumination and Characterization of ZSM-5 as Catalyst for Glycerol Conversion to Glycerol Monolaurate	110-116
Didi Dwi Anggoro, Riko Rikardo Putra, Herawati Oktaviany, Lutfi Af'idatul Kamilah, and Fatma Tsaniya Chamdani	
Hazard Assessment of LNG Loading-Unloading Process in Cirebon Port	117-121
Hary Devianto, Mitra Eviani, Pramujo Widiatmoko, and Isdiriyani Nurdin	
Effect of Extraction Time on Unreacted Oil Removal in Biodiesel Purification Using Deep Eutectic Solvent	122-127
Helda Niawanti and Siti Zullaikah	

Volume 18 Number 3 September 2018

Improvement of Bioethanol Production by Using <i>Saccharomyces cerevisiae</i> [Meyen ex E.C. Hansen] Immobilized on Pretreated Sugarcane Bagasse	129-135
Sita Heris Anita, Wibowo Mangunwardoyo, and Yopi	
Kinetic Study and Optimization of the Most Influential Factor on Batch-Extraction of Gingerol from Fresh Ginger (<i>Zingiber officinale</i>) Rhizomes by Using n-Hexane as a Solvent	136-142
Margaretha Praba Aulia, Fitra Pradhita, Andri Cahyo Kumoro, Marcelinus Christwardana, and Hargono	
The Influence of Foaming Agent and Cake Thickness on the Drying Process Tomatoes Using a Tray Dryer	143-148
Tri Hariyadi, Judy Retti Witono, and Herry Santoso	
Biodiesel Production from Waste Cooking Oil Purified with Activated Charcoal of Salak Peel	149-154
Luqman Buchori, Dinda Labibah Ubay, and Khonsa Syahidah	
Reaction Kinetics in Conversion Process of Pineapple Leaves into Glucose	155-159
Muhaimin, Beta Wulan Febriana, and Septian Arfan	

Hydrogen Sulfide Removal from Biogas Using Digester Effluent Absorbent in a Continuous Vertical Column	160-165
Sunu Herwi Pranolo, Paryanto, Margono, Bachtiar Rizaldy, and Hendrix Yansah	
Removal of COD and NH₃ from Produced Water using Modified Horizontal Subsurface Flow Constructed Wetlands (HSCW)	166-170
Agus Jatnika Effendi and Regi Risman Sandi	
Effect of Variation of Mixture Leachate with Fluid in Cattle Rumen Formation of Biogas	171-175
Edhi Sarwono, Rika Endata, and Budi Nining Widarti	

Volume 18 Number 4 December 2018

Effect of pH and Gas Flow Rate on Ozone Mass Transfer of K-Carrageenan Solution in Bubble Column Reactor	177-182
Aji Prasetyaningrum, Dyah Arum Kusumaningtyas, Purbo Suseno, and Ratnawati	
Effect of Peanut Shell Torrefaction on Qualities of The Produced Bio-pellet	183-193
Santiyo Wibowo and Ningseh Lestari	
Assessment of Compost Maturity using The Static Respirometry Index	194-201
Gabriel Andari Kristanto and Syifa Aulia Rahmah	
Synthesis of Surfactant Tert-Butyl Glycosides from Glucose and Tert-Butanol	202-208
Harsa Pawignya, Tutuk Djoko Kusworo, and Bambang Pramudono	
Integrated Electrocoagulation and Tight Ultrafiltration Membrane for Wastewater Reclamation and Reuse	209-215
F.A. Nugroho, Putu Teta Prihartini Aryanti, B. Irawan, M.F. Kurnia, and T. Prasetyo	
Evaluation Performance of Pneumatic Dryer for Cassava Starch	216-223
Suherman, and Nur Hidayati	
Characterization and Development of Edible Film/Coating from Lesser Yam Starch-Plasticizer Added with Potassium Sorbate or Cinnamon Oil in Affecting Characteristics and Shelf Life of Stored, Coated Strawberry	224-234
Wilbur Donald Raymond Pokatong and Jessica Decyree	
Antimicrobial Activity of Kaffir Lime Peel Extract against Streptococcus mutans	235-240
Rosalie Purwanto, Jeni Pabontong, Ery Susiany Retnoningtyas, and Wenny Irawaty	

Reaktor

p-ISSN 0852 – 0798

e-ISSN 2407 – 5973

Accredited: SK No.: 60/E/KPT/2016

Website : <http://ejournal.undip.ac.id/index.php/reaktor/>

Reaktor, Vol. 18 No. 4, December Year 2018

AUTHORS INDEX

A

Adnan, M.R., 92
Anandito, B.K., 63
Anggoro, D.D., 110
Angwar, M., 63
Anita, S.H., 129
Arbianti, R., 84
Arfan, S., 155
Artiningsih, A., 27
Aryanti, P.T.P., 209
Aulia, M.P., 136

B

Buchori, L., 149
Budhijanto, 16

C

Chamdani, F.T., 110
Christwardana, M., 136
Cornelia, M., 31

D

Damayanti, A., 57
Decyree, J., 224
Devianto, H., 117
Djunaidi, M.C., 102

E

Effendi, A.J. 166
Endata, R., 171
Eviani, M., 117

F

Febriana, B.W., 155

G

Gerhana, A.R., 7
Gozali, D.P., 31

H

Hargono, 136
Hidayati, N., 216
Hartanto, D., 1
Haryadi, T., 143
Hasan, M.Z., 92
Herawati, E.R.N., 63

I

Irawan, B., 209
Irawan, C., 38
Irawaty, W., 235
Irwanto, D., 51
Ismail, H., 27
Istyami, A.N., 71

J

Jelita, R., 38

K

Kamilah, L.A., 110
Karina, N.D., 84
Khabibi, 102
Kresnowati, M.T.A.P., 71

Kumoro, A.C., 136
Kurnia, M.F., 209
Kusumaningtyas, D.A., 177
Kusworo, T.D., 7, 202

L

Leondo, V., 84
Lestari, N., 183

M

Mangunwardoyo, W., 129
Margono, 160
Mariana, 84
Megawati, 1
Muhaimin, 155
Muljani, S., 76

N

Nata, I.F., 38
Niawanti, H., 122
Nugroho, F.A., 209
Nurdin, I., 117
Nurhasanah, I., 22
Nurhayati, E., 1
Nurhayati, R., 63

O

Oktaviany, H., 110

P

Pabotong, J., 235
Paryanto, 160
Pawignya, H., 202
Pokatong, W.D.R., 224
Pradhita, F., 136
Prakoso, T., 71
Pramudono, B., 202
Pranolo, S.H., 160
Prasetya, N.B.A., 102
Prasetyaningrum, A., 177
Prasetyo, T., 209
Pratiwi, R., 63
Purwanto, R., 235

Putra, H.A., 7
Putra, R.R., 110

R

Rahmah, S.A., 194
Ratnawati, 177
Retnoningtyas, E.S., 235
Rizaldy, B., 160
Rochmadi, 51
Rokhati, N., 45
Roy, S., 92

S

Sabara, Z., 27
Safitri, W., 22
Saha, S., 92
Sandi, R.R., 166
Santoso, H., 143
Sarto, 57
Sarwono, E., 171
Sediawan, W.B., 16, 57
Setyowati, N.A., 102
Soerawidjaja, T.H., 71
Subagio, A., 22
Suherman, 216
Sulistyo, H., 16
Sumada, K., 76
Suprihatin, 76
Suryanto, A., 27
Susanto, H., 45
Suseno, P., 177
Syahidah, K., 149
Syarif, T., 16

T

Titik, D., 45

U

Ubay, D.L., 149
Ulfia, K.N., 102
Utami, T.S., 84
Utomo, D.P., 7

W

Wahyudi, B., 76

Wati, D.S., 1

Wibowo, S., 183

Widarti, B.N., 171

Widiatmoko, P., 117

Widyastuti, C.R., 1

Windarti, T., 22

Wiratni, 51

Witono, J.R., 143

Y

Yansah, H., 160

Yopi, 129

Z

Zullaikah, S., 122

Witono, J.R., 143

Reaktor

p-ISSN 0852 – 0798

e-ISSN 2407 – 5973

Accredited: SK No.: 60/E/KPT/2016

Website : <http://ejournal.undip.ac.id/index.php/reaktor/>

Reaktor, Vol. 18 No. 4, December Year 2018

SUBJECTS INDEX

A

activated charcoal, 149
adsorption, 57
alkaloids, 51
aluminum, 38
antioxidant, 22

B

biodiesel, 27, 122, 149
bioethanol, 129
biofilm, 84
biogas, 160, 171
biomass wastes, 183
bio-pellet, 183

C

cabinet drying, 31
cake thickness, 143
calcium oxide, 1
calcium, 31
cassava starch, 216
central composite design, 7
CeO₂ nanoparticles, 22
chicken bone, 31
chitosan, 45
chocolate powder, 63
cinnamon oil, 224
cocoa pod husk, 51
COD, 166
compost, 194
conversion, 183
cookies, 31

cotton seed oil, 27
critical moisture content, 63

D

dealumination, 110
dental caries, 235
DES, 122
digester effluent, 160
Dose Enhancement Factor (DEF), 22

E

edible coating, 224
electric vehicle, 92
electrocoagulation, 209
electroplating waste, 102
energy analysis, 216
energy storage, 92
ethylene, 117
extraction, 122, 136

F

fermentation, 51
flowrate, 177
flour, 31
foaming agent, 143
frangipani, 71
free fatty acid, 1

G

gasification, 16
geothermal sludge, 76
ginger, 136

gingerol, 136
glucose, 155, 202
glycerol monolaurate, 110
glycerol, 1, 110
gradual extraction, 76

H

hazard assessment, 117
HCSWs, 166
humic substance, 76
hybrid energy source, 92
hybridization, 92
hydrogen sulfide, 160
hydrolysis, 155

I

immobilization, 57, 129
industrial wastewater, 209

K

kaffir lime, 235
kinetic model, 155
kinetic parameter, 38

L

Lactobacillus plantarum, 51
Lagergren model, 57
limonene, 57
lindi organic waste composting, 171
lipase, 71
lipolysis, 71
liquid membrane, 102
LNG, 117
loading-unloading process, 117

M

mass transfer, 177
mass transfer coefficient, 160
mathematical model, 16
matrix gel, 76
maturity, 194
membrane hybrid, 7
Microbial Fuel Cell, 84

microwave, 27, 45
moisture sorption isotherm, 63
mouthwash, 235

N

NH₃, 166
n-hexane, 136

O

optimization, 136
orange, 57
organic loading rate, 166
organic solvent, 71
ozone, 177

P

packed bed column, 160
Pattukku coal char, 16
peanut shells, 183
peel, 235
pes-zeolite, 7
PIM, 102
pH, 177
phenolic, 235
pineapple leaves, 155
plastic wastes, 38
pneumatic dryer, 216
potassium sorbate, 224
pretreatment, 129
produced water, 7, 166
pseudo-homogeneous approach, 1
purification, 122
pyrolysis, 38

Q

Quantitative Risk Assessment (QRA), 117

R

radioprotector, 22
reclamation, 209
response surface methodology, 7
reuse water, 209
rumen fluid beef, 171

S

salak peel, 149
selective mixed culture, 84
shelf life, 63
shrimp shells, 45
stability, 194
static respiration index, 194
steam treatment, 129
steam, 16
strawberry, 224
Streptococcus mutans, 235
sugarcane bagasse, 129
surfactant, 202

T

Tempe wastewater, 84
temperature, 38
tert-butanol, 202

tert-butyl glycosides, 202
Thin Reaction Zone Model, 16
tomato, 143
torrefaction treatment, 183
transesterification temperature, 149
transesterification, 27
tray dryer, 143
tubular reactor, 84

U

ultra-capacitor, 92
ultrafiltration, 209
unreacted oil, 122

W

waste cooking oil, 149

Z

ZSM-5, 110

Reaktor

p-ISSN 0852 – 0798

e-ISSN 2407 – 5973

Accredited: SK No.: 60/E/KPT/2016

Website : <http://ejournal.undip.ac.id/index.php/reaktor/>

Reaktor, Vol. XX No. X, Month Year XXXX, pp. Xxx-xxx

Manuscript Preparation Guidelines

Author 1^{1,2,*}, Author 2¹, Author 3², and Author 4³

¹Department of Chemical Engineering, Faculty of Engineering, Diponegoro University
Jl. Prof. Soedarto, SH, Tembalang, Semarang

²Laboratory of Material Technology, UPT Terpadu Laboratory, Diponegoro University
Jl. Prof. Soedarto, SH, Tembalang, Semarang

³Center of Biomass and Renewable Energy (C-BIORE), UPT Terpadu Laboratory, Diponegoro University
Jl. Prof. Soedarto, SH, Tembalang, Semarang

*Corresponding author: j.reaktor@che.undip.ac.id

(Received : xx xx xxxx; Accepted: xx xx xxxx; Published: xx xx xxxx)

Abstract

Abstract title is written with Times News Roman style (10 pt and bold) and centered format. The body text of abstract was written italic style (10 pt) amounts 150-200 words, with left margin and right margin 25 mm and 20 mm from edge. The abstract should be clear, concise, and descriptive. This abstract should provide a brief introduction to the problem (preferably 1-2 sentences, objective of paper, research method in short, and a brief summary of results. The abstract should end with a comment on the significance of the results or a brief conclusion. The abstract is preferably not more than 300 words. Keywords written under the abstract text arranged in alphabetical order and separated by a semicolon. Title keywords written with regular format with 10 pt bold font while the key words in italics (italic).

Keywords: *abstract; keyword; title; writing guidelines*

INTRODUCTION

Reaktor is published since 1997 with 2 (two) issues every year, i.e. June and December. In 2012, Reaktor is published every April and October. Starting in 2016, Reaktor is published 4 (four) times a year i.e. March, June, September and December. Reaktor is a journal that has been accredited by SK No. 60/E/KPT/2016 with p-ISSN No. 0852-0798 and e-ISSN No. 2407-5973. Articles in the Reaktor come from articles submitted to the Reaktor Editor and after going through the review process by the Editorial Board and/or Reviewer. Articles submitted must be free from plagiarism and autoplaiarsm.

The Reaktor as an accredited national journal has developed an online management system. The submitted/article submission process and article

review process are performed by online. Currently, Reaktor has been indexed by some indexing machines such as; Indonesia Citation Index, Google Scholar, Portal Garuda, E-print UNDIP, Open access articles, Research Bible, *DAIJ (Directory of Abstract Indexing Journal)*, *OAJI (Open Academic Journal Index)*, EZB Nutzeranfragen, World Cat, SHERPA/RoMEO and DOAJ.

Articles can be written in either English or Indonesia. Articles can be results of research, state of the art studies, and analysis and problem solving in industries relevant to the field of chemical engineering, which have not been published in other publications.

WRITING METHOD

General Instructions

Articles should be written on A4 paper (210 x 297 mm). Articles are written without page numbers and arranged in the following order: Title, Abstract, Keywords, Introduction, Research Method (or Model Development), Results and Discussion, Conclusions, Acknowledgments (if any), Notation List (if any) and References.

Writing Guidelines

The article begins with the title of the article written with Title Case format, font 16 pt bold. The title is an opportunity to attract the reader's attention. Remember that readers are the potential authors who will cite your article. Identify the main issue of the paper. Begin with the subject of the paper. The title should be accurate, unambiguous, specific, and complete. Do not contain infrequently-used abbreviations.

The author's name is written under the title with the Title Case format, font 12 pt bold. The author's name is written complete without an academic degree. Apostrophes are written behind the author's name in superscript format. The name of the institution (institution, address, phone number, facsimile number and e-mail) is written under the author's name with the theme of Times New Roman with Title Case format, 10 pt. If the author is more than one, should be written email for the correspondence author (corresponding author). Article title, author's name and institutional name are written flat center. The distance between the title and the author's name is 2 spaces (10 pt) and between the author's name and the institution name is 1 space (10 pt).

The contents of the article are written with a left margin of 25 mm, right margin 20 mm, bottom margin 20 mm and top margin 30 mm. The header distance from the edge of the paper is 20 mm, and the footer distance from the edge of the paper is 13 mm. Articles are written in MS Word program with Times New Roman font type, 10 pt font, 1 space and in two column format. The maximum number of article pages is 10 (including pictures and tables) and written justified. The beginning of the paragraph is written indented by a distance of 1 cm and the distance between paragraphs is 10 pt.

Subtitles are written in bold with UPPER CASE format and arranged align left with no number and underscore. Sub subtitles are written in bold with Title Case format and arranged align left with no number and underscore. Sub sub subtitles are written in bold with Sentence case format and arranged align left without numbers and underscores.

RESULTS AND DISCUSSION

Figures and Tables

Figures and Tables are placed in groups of text and annotated. The figure is followed by the caption placed under the figure and the table followed by the

caption placed on the table. The figures and the tables are numbered. The figure is guaranteed to be printed clearly even though it is reduced to 50%. Figure is not framed. For colorful images or graphics, please send as many as 300 sheets if you want to print in color. Tables with no vertical lines, whereas horizontal lines are only shown in 3 main horizontal lines i.e. 2 horizontal lines for the column headings and 1 closing line for the bottom row.




Figure 1. Flux Profile of Dye and Mixture of Dye and Surfactant Ultrafiltration at Remazol Blue concentration of 90 mg/l

Table 1. The microalgae composition of the *Tetraselmis chuii* species

Component	Composition (%w/w)
α -cellulose	47.2 %
Hemisellulose	35.5%
HWS	17%

Equations

The equations are written center and numbered in parentheses. The number is placed at the end of the right margin of the column.

$$D = \frac{A}{(v_{rel}^2 \rho_a)^2} + B \left(\frac{M_{air}}{M_{liq}} \right)^{-\beta} \quad (1)$$

Quote Writing

The writing system quotes a manuscript or literature using the Harvard system. The literature source is composed only of the author's name and the year of its publication. Examples: Attempts to search for better heat storage systems have been widely used, including the latent heat melting of PCM (Yanadoro and Matsuda, 2006 *for one or two authors*; Smith *et al.*, 2011 *for more than two authors*). According to (2010),etc.

CONCLUSION

Articles submitted / registered online by accessing the website of the Reactor with the following address; <http://ejournal.undip.ac.id/index.php/reaktor/index>. Author must have a

username and keyword to be able to register the article. Metadata must be filled in completely. The article should be supplemented by a Declaration Letter stating that the article is free from conflict and plagiarism. For prospective Authors who have not been able to submit online can contact the Editor via E-mail with the address j.che@che.undip.ac.id atau reaktor_tkundip@yahoo.com.

The submitted articles will be reviewed by the Editorial Board and/or Reviewers. Correspondence will be addressed to the corresponding author. The author should immediately improve the article according to the reviewer's instructions. If the article has been declared acceptable, either the Main Revision or Minor Revision, the Author must correct it no later than **15 days** after the notice. If the author does not improve his article more than 15 days, then when submitting the article will be considered as a new registration (New Submission).

The editor reserves the right to reject articles submitted if irrelevant to the field of chemical engineering, not up to date or have been published in other scientific magazines.

NOTATION

Notation is written alphabetically. Latin letters are written first, followed by an Arabic letter.

REFERENCES

References are listed alphabetically without numbering and the distance between the bibliography

is 1 space (10 pt). The rules of writing used are as follows:

Magazine/scientific journal/proceedings:

Sumin, L., Youguang, M.A., Chunying, Z., Shuhua, S., and Qing, H.E., (2009), The Effect of Hydrophobic Modification of Zeolites on CO₂ Absorption Enhancement, *Chinese Journal of Chemical Engineering*, 17(1), pp. 36-41.

Book :

Fogler, H.S., (2006), *Elements of Chemical Reaction Engineering*, 4th, Prentice Hall International, Upper Sadle River, New Jersey, pp. 47-93

Disertation/thesis :

Djaeni, M., (2008), Energy Efficient Multistage Zeolite Drying for Heat Sensitive Products, *PhD Thesis*, Wageningen University, The Netherlands.

Patent :

van Reis, R.D., (2006), Charged Filtration Membranes and Uses Therefore, *US Patent 7,001,550*.

HandBook:

Knothe, G., van Gerpen, J., and Krahl, J., (2005), *The Biodiesel Handbook*, AOCS Press, Campaign, Illionis, USA, pp. 70-84

Mujumdar, A.S. and Hasan, M., (2006), Drying of Polymers in *Handbook of Industrial Drying*, editor A.S. Mujumdar, 3rd ed, Marcel Dekker, New York, pp. 954-978.