

Acredited: SK No.: 60/E/KPT/2016 Website: http://ejournal.undip.ac.id/index.php/reaktor/

Reaktor, Vol. 19 No. 4, December Year 2019

TITLES INDEX

Volume 19 Number 1 March 2019

Investigating Mass Transfer Phenomena in Batch Solvent Extraction of Rice Bran Oil Lienda Aliwarga	1-10
Growth Mechanism and Characterization of PbTe _{0.5} Se _{0.5} Thin Films Used by Closed-Space Vapor Transport in a Vertical Reactor Yanuar Hamzah, Jimmi Copriady, and Ariswan	11-17
Treatment Of Tofu Industry Wastewater Using Bioreactor Anaerobic-Aerobic And Bioball As Media With Variation Of Hidraulic Retention Time Ariani Dwi Astuti, and Dewi Intania Ayu	18-25
Encapsulation of Soursop (Annona muricata Linn.) Leaf Tea Extract Using Natural	26-33
Mucilage Melanie Cornelia, Kam Natania, Herry Cahyana, and Edison Sutiyono	
Effect of Esterification on Cassava Starch: Physicochemical Properties and Expansion Ability Siswo Sumardiono, Listiyana Riska, Bakti Jos, and Isti Pudjihastuti	34-41
Volume 19 Number 2 June 2019	
Nutritional Characteristics and Potential Applications of Flour Prepared from Indonesian Wild White Yam (<i>Dioscorea esculenta L.</i>) Diah Susetyo Retnowati, Ratnawati Ratnawati, and Andri Cahyo Kumoro	43-48
The Impact of Combination of Ozonation and Ultrasonication Process on Morphological and Chemical Properties of κ-Carrageenan Nurfiningsih Nurfiningsih, Ratnawati Ratnawati, Aji Prasetyaningrum	49-53
Outdoor Closed System of Algal Mass Culture: In Sight of Comparison on Vertical and Horizontal Photobioreactor for Cultivating the <i>Spirulina</i> sp. Hilda Farida, Puspita Sari Harahap, Rifana Sobari, Rudyanto Gunawan, Delicia Yunita Rahman, and Dwi Susilaningsih	54-61
Utilization of Crude Intracellular Chitinase Enzyme from <i>Providencia stuartii</i> for Glucosamine Production from Shrimp Shells Hardoko, Titri Siratantri Mastuti, Desy Puspasari, and Yuniwaty Halim	62-67

Activated Carbon Derived From OPEFB by One Step Steam Activation and Its Application for Dye Adsorption: Kinetics and Isothermal Studies Fahriya Puspita Sari, Dede Heri Yuli Yanto, and Gustan Pari	68-76
Study On Particle Swarm Optimization Variant And Simulated Annealing In Vapor Liquid Equilibrium Calculation Rama Oktavian, Agung Ari Wibowo, and Zuraidah Fitriah	77-83
Solid Concentration Effect For Solvent Extraction Process of Oily Contaminated Soil Lely Fitriyani, Edwan Kardena, and Sukandar	84-88
Volume 19 Number 3 September 2019	
Effect of Hydrocolloid on Characteristics of Gluten Free Bread from Rice Flour and Fermented Cassava Flour (Fercaf)	89-95
Dianika Lestari, Made Tri Ari Penia Kresnowati, Afina Rahmani, Lienda Aliwarga, and Yazid Bindar	
Study on Organic Redox Flow Battery Mechanism Using TEMPO and FMN-Na Solutions Faishal Maulana Kusumah, Dita Baeti Pridiana, Peter Kusnadi, and Dessy Ariyanti	96-100
Second-Generation Biobutanol: An Update Dian Burhani, Eka Triwahyuni, and Ruby Setiawan	101-110
The Performance of a Pilot-Scale Anaerobic Hybrid Bioreactor on Palm Oil Mill Effluent Treatment Adrianto Ahmad, Bahruddin David Andrio, and Amir Hamzah	111-116
Kinetics and Equilibriums Adsorption of Cu (II) Ion by Chitosan and Cross-Linked Chitosan-Bentonite Hargono Hargono, Angga Mei Sarah, Feninda Nevrita, and Bakti Jos	117-124
Biofilm Based on Modified Sago Starch: Preparation and Characterization Dewi Sondari, Faizatul Falah, Riska Suryaningrum, Fahriya Puspita Sari, Athanasia Amanda Septefani, Witta Kartiak Restu, and Yulianti Sampora	125-130
Simulation of CO ₂ Conversion into Methanol in Fixed-bed Reactors: Comparison of Isothermal and Adiabatic Configurations Fadilla Noor Rahma	131-135
Volume 19 Number 4 December 2019	
Anaerobic Co-Digestion of Human Excreta and Corn Stalk for Biogas Production Agus Hadiyarto, Dyah Ayu Pratiwi, and Aldila Ayu Prida Septiyani	137-144
Filter Cake Utilization as Filler of 15-15-15+5S Compound Fertilizer: Particle Size Distribution and Granule Crushing Strength Properties Kasmadi, Budi Nugroho, Atang Sutandi, and Syaiful Anwar	145-151
Prediction of Microbial Population in Sorghum Fermentation Through Mathematical Models Umi Laila, Rifa Nurhayati, Tyas Utami, and Endang Sutriswati Rahayu	152-161

The Effect of Acid Concentration (H ₂ SO ₄) on the Yield and Functional Group during Lignin Isolation of Biomass Waste Pulp And Paper Industry Slamet Priyanto, Anansya Putri Intan, Bambang Rianto, Tutuk Djoko Kusworo, Bambang Pramudono, Edi Untoro, and Puspa Ratu	162-167
Removal of Methylene Blue of Textile Industry Waste with Activated Carbon Using Adsorption Method Maryudi, Shinta Amelia, and Siti Salamah	168-171
The Use of Natural Zeolite as A Catalyst for Esterification Reaction Between Glycerol and Oleic Acid Anggara D., Nindya Carolin C.S., Nuryoto, and Teguh Kurniawan	172-179
Effect of Intermittent Spray Pyrolysis on the Characteristics of Fluorine-Doped Tin Oxide Conductive Glass for Dye Sensitized Solar Cell Isdiriayani Nurdin, Pramujo Widiatmoko, Hary Devianto, Anastasia Yuandy, and Rendy	180-186



Acredited: SK No.: 60/E/KPT/2016 Website: http://ejournal.undip.ac.id/index.php/reaktor/

Reaktor, Vol. 19 No. 4, December Year 2019

AUTHORS INDEX

A	G
Ahmad, A., 111	Gunawan, R., 54
Aliwarga, L., 1, 89	
Amelia, S., 168	Н
Andrio, D., 111	Hadiyarto, A., 137
Anggara, D., 172	Halim, Y., 62
Anwar, S., 145	Hamzah, A., 111
Ariswan, 11	Hamzah, Y., 11
Ariyanti, D., 96	Harahap, P.S., 54
Astuti, A.D., 18	Hardoko, 62
Ayu, D.I., 18	Hargono, H., 117
В	I
Bahruddin, 111	Intan, A.P., 162
Bindar, Y., 89	
Burhani, D., 101	J
	Jos, B., 34, 117
C	
Cahyana, H., 26	K
Copriady, J., 11	Kardena, E., 84
Cornelia, M., 26	Kasmadi, 145
	Kresnowati, M.T.A.P., 89
D	Kumoro, A.C., 43
Devianto, H., 180	Kurniawan, T., 172
	Kusnadi, P., 96
F	Kusumah, F.M., 96
Falah, F., 125	Kusworo, T.D.,162
Farida, H., 54	
Fitriah, Z., 77	L
Fitriyani, L., 84	L Laila, U., 152

\mathbf{S} M Maryudi, 168 Salamah, S., 168 Mastuti, T.S., 62 Sampora, Y., 125 Sarah, A.M., 117 N Sari, F.P., 125 Natania, K., 26 Sari, F.P., 68 Nevrita, F., 117 Septefani, A.A., 125 Nindya, C.C.S., 172 Septiyani, A.A.P., 137 Nugroho, B., 145 Setiawan, R., 101 Nurdin, I., 180 Sobari, R., 54 Nurfiningsih, N., 49 Sondari, D., 125 Nurhayati, R., 152 Sukandar, 84 Nuryoto, 172 Sumardiono, S., 34 Suryaningrum, R., 125 o Susilaningsih, D., 54 Oktavian, R., 77 Sutandi, A., 145 Sutiyono, E., 26 P T Pari, G., 68 Pramudono, B., 162 Triwahyuni, E., 101 Prasetyaningrum, A., 49 Pratiwi, D.A., 137 U Pridiana, D.B., 96 Untoro, E., 162 Priyanto, S., 162 Utami, T., 152 Pudjihastuti, I., 34 W Puspasari, D., 62 Wibowo, A.A., 77 R Widiatmoko, P., 180 Rahayu, E.S., 152 Rahma, F.N., 131 Y Yanto, D.H.Y., 68 Rahman, D.Y., 54 Rahmani, A., 89 Yuandy, A., 180 Ratnawati, R., 43, 49 Ratu, P., 162 Rendy, 180 Restu, W.K., 125 Retnowati, D.S., 43 Rianto, B., 162

Riska, L., 34



Acredited: SK No.: 60/E/KPT/2016 Website: http://ejournal.undip.ac.id/index.php/reaktor/

Reaktor, Vol. 19 No. 4, December Year 2019

SUBJECTS INDEX

A	chitosan, 117
acetone, 84	close-spaced vapor transport, 11
acetylation, 125	CO ₂ hydrogenation, 131
activated Carbon, 68, 168	concentration, 168
adsorption, 117, 168	contaminated soil, 84
aerobe, 18	corn stalk, 137
aloe mucilage, 26	cross link, 125
anaerobe, 18	cross-linked, 117
anaerobic co-digestion, 137	crushing strength, 145
anaerobic, 111	Cu(II) ion, 117
antioxidant activity, 26	
Aspen Plus simulation, 131	D
attached growth, 18	diffusion, 172
	DSSC performance, 180
В	
batch extraction, 1	E
bioball, 18	encapsulation, 26
biobutanol, 101	energy storage, 96
biofilms, 125	Enhanced Oil Recovery (EOR), 162
biogas, 111, 137	ester starch, 34
bioreactor, 111	etching reaction, 11
BJHP, 54	ethyle lactate, 34
BJVP, 54	
black liquor, 162	F
	fercaf, 89
C	fermentation, 152
carbon capture and utilization, 131	fermented cassava flour, 89
cassava starch, 34	figure of merit, 180
cassava, 89	filler, 145
centrifugation, 84	filter cake, 145
chemical, 49	flour, 43

flow battery, 96	N
fluorine-doped tin oxide, 180	natural zeolite, 172
FMN-Na, 96	
food, 43	0
FTIR, 125, 162	oil sludge, 84
	okra mucilage, 26
G	OPEFB, 68
glucosamine, 62	organic, 96
gluten-free bread, 89	outdoor mass cultivating system, 54
glycerol, 172	oxidation, 125
granulation, 145	ozonation, 49
Н	P
hydrocolloids, 89	PbTe _{0.5} Se _{0.50} , 11
human feces, 137	P. Stuartii, 62
	palm oil mill effluent, 111
I	particle size, 168
inoculum, 152	particle swarm optimization, 77
intermittency in deposition, 180	performance, 111
intracellular chitinase enzyme, 62	phase equilibrium, 77
isotherm, 117	photobioreactor, 54
	preparation, 43
K	proximate composition, 43
kinetic, 68	purification, 101
kinetics, 117	
κ-carrageenan, 49	R
	rate, 1
L	reaction, 172
lignin, 162	recovery, 101
lignocellulose, 101	rice bran oil, 1
M	S
mass transfer, 1	sago, 125
mathematical, 152	SEM, 125
methanol reactor, 131	shrimp shells' chitin, 62
Methylene Blue, 168	simulated annealing and activity coefficient model, 77
micro-cube, 11	size distribution, 145
model, 152	soil washing, 84
modified starch, 34	solid treatment, 84
morphological, 49	solvent extraction, 84

sorghum, 152 soursop tea extract, 26 spirulina, 54 spontaneous, 152 spray pyrolysis, 180 steam activation, 68 stochastic method, 77 storage time, 1

T

technoeconomic, 101 TEMPO, 96 tofu wastewater, 18 toluene, 84 TPH, 84 treatment, 18 time, 168

U

ultrasonication, 49

V

volume expansion, 34

\mathbf{W}

wastewater, 18, 111 white yam, 43

Y

yield, 1



Acredited: SK No.: 60/E/KPT/2016 Website: http://ejournal.undip.ac.id/index.php/reaktor/

Reaktor, Vol. XX No. X, Month Year XXXX, pp. Xxx-xxx

Manuscript Preparation Guidelines

Author 11,2,*), Author 21, Author 32, and Author 43

1)Department of Chemical Engineering, Faculty of Engineering, Diponegoro University
Jl. Prof. Soedarto, SH, Tembalang, Semarang

2)Laboratory of Material Technology, UPT Terpadu Laboratory, Diponegoro University
Jl. Prof. Soedarto, SH, Tembalang, Semarang

3)Center of Biomass and Renewable Energy (C-BIORE), UPT Terpadu Laboratory, Diponegoro University
Jl. Prof. Soedarto, SH, Tembalang, Semarang

*)Corresponding author: j.reaktor@che.undip.ac.id

(Received: xx xx xxxx; Accepted: xx xx xxxx; Published: xx xx xxxx)

Abstract

Abstract title is written with Times News Roman style (10 pt and bold) and centered format. The body text of abstract was written italic style (10 pt) amounts 150-200 words, with left margin and right margin 25 mm and 20 mm from edge. The abstract should be clear, concise, and descriptive. This abstract should provide a brief introduction to the problem (preferably 1-2 sentences, objective of paper, research method in short, and a brief summary of results. The abstract should end with a comment on the significance of the results or a brief conclusion. The abstract is preferably not more than 300 words. Keywords written under the abstract text arranged in alphabetical order and separated by a semicolon. Title keywords written with regular format with 10 pt bold font while the key words in italics (italic).

Keywords: abstract; keyword; tittle; writing guidelines

INTRODUCTION

Reactor is published since 1997 with 2 (two) issues every year, i.e. June and December. In 2012, Reactor is published every April and October. Starting in 2016, Reactor is published 4 (four) times a year i.e. March, June, September and December. Reactor is a journal that has been accredited by SK No. 60/E/KPT/2016 with p-ISSN No. 0852-0798 and e-ISSN No. 2407-5973. Articles in the Reactor come from articles submitted to the Reactor Editor and after going through the review process by the Editorial Board and/or Reviewer. Articles submitted must be free from plagiarism and autoplagiarsm.

The Reactor as an accredited national journal has developed an online management system. The submitted/article submission process and article

review process are performed by online. Currently, Reactor has been indexed by some indexing machines such as; Indonesia Citation Index, Google Scholar, Portal Garuda, E-print UNDIP, Open access articles, Research Bible, *DAIJ (Directory of Abstract Indexing Journal)*, OAJI (*Open Academic Journal Index*), EZB Nutzeranfragen, World Cat, SHERPA/RoMEO and DOAJ.

Articles can be written in either English or Indonesia. Articles can be results of research, state of the art studies, and analysis and problem solving in industries relevant to the field of chemical engineering, which have not been published in other publications.

WRITING METHOD

General Instructions

Articles should be written on A4 paper (210 x 297 mm). Articles are written without page numbers and arranged in the following order: Title, Abstract, Keywords, Introduction, Research Method (or Model Development), Results and Discussion, Conclusions, Acknowledgments (if any), Notation List (if any) and References.

Writing Guidelines

The article begins with the title of the article written with Title Case format, font 16 pt bold. The title is an opportunity to attract the reader's attention. Remember that readers are the potential authors who will cite your article. Identify the main issue of the paper. Begin with the subject of the paper. The title should be accurate, unambiguous, specific, and complete. Do not contain infrequently-used abbreviations.

The author's name is written under the title with the Title Case format, font 12 pt bold. The author's name is written complete without an academic degree. Apostrophes are written behind the author's name in superscript format. The name of the institution (institution, address, phone number, facsimile number and e-mail) is written under the author's name with the theme of Times New Roman with Title Case format, 10 pt. If the author is more than one, should be written email for the correspondence author (corresponding author). Article title, author's name and institutional name are written flat center. The distance between the title and the author's name is 2 spaces (10 pt) and between the author's name and the institution name is 1 space (10 pt).

The contents of the article are written with a left margin of 25 mm, right margin 20 mm, bottom margin 20 mm and top margin 30 mm. The header distance from the edge of the paper is 20 mm, and the footer distance from the edge of the paper is 13 mm. Articles are written in MS Word program with Times New Roman font type, 10 pt font, 1 space and in two column format. The maximum number of article pages is 10 (including pictures and tables) and written justified. The beginning of the paragraph is written indented by a distance of 1 cm and the distance between paragraphs is 10 pt.

Subtitles are written in bold with UPPER CASE format and arranged align left with no number and underscore. Sub subtitles are written in bold with Title Case format and arranged align left with no number and underscore. Sub sub subtitles are written in bold with Sentence case format and arranged align left without numbers and underscores.

RESULTS AND DISCUSSION Figures and Tables

Figures and Tables are placed in groups of text and annotated. The figure is followed by the caption placed under the figure and the table followed by the caption placed on the table. The figures and the tables are numbered. The figure is guaranteed to be printed clearly even though it is reduced to 50%. Figure is not framed. For colorful images or graphics, please send as many as 300 sheets if you want to print in color. Tables with no vertical lines, whereas horizontal lines are only shown in 3 main horizontal lines i.e. 2 horizontal lines for the column headings and 1 closing line for the bottom row.




Figure 1. Flux Profile of Dye and Mixture of Dye and Surfactant Ultrafiltration at Remazol Blue concentration of 90 mg/l

Table 1. The microalgae composition of the Tetraselmis chuii species

Composition (% w/w)
47.2 %
35.5%
17%

Equations

The equations are written center and numbered in parentheses. The number is placed at the end of the right margin of the column.

$$D = \frac{A}{\left(V_{\rm rel}^2 \rho_{\rm a}\right)^2} + B \left(\frac{M_{\rm air}}{M_{\rm liq}}\right)^{-\beta} \tag{1}$$

Quote Writing

The writing system quotes a manuscript or literature using the Harvard system. The literature source is composed only of the author's name and the year of its publication. Examples: Attempts to search for better heat storage systems have been widely used, including the latent heat melting of PCM (Yanadoro and Matsuda, 2006 for one or two authors; Smith et al., 2011 for more than two authors). According to (2010),etc.

CONCLUSION

Articles submitted / registered online by accessing the website of the Reactor with the following address; http://ejournal.undip.ac.id/index.php/reaktor/index. Author must have a

username and keyword to be able to register the article. Metadata must be filled in completely. The article should be supplemented by a Declaration Letter stating that the article is free from conflict and plagiarism. For prospective Authors who have not been able to submit online can contact the Editor via E-mail with the address j.reaktor@che.undip.ac.id atau reaktor_tkundip@yahoo.com.

The submitted articles will be reviewed by the Editorial Board and/or Reviewers. Correspondence will be addressed to the corresponding author. The author should immediately improve the article according to the reviewer's instructions. If the article has been declared acceptable, either the Main Revision or Minor Revision, the Author must correct it no later than **15 days** after the notice. If the author does not improve his article more than 15 days, then when submitting the article will be considered as a new registration (New Submission).

The editor reserves the right to reject articles submitted if irrelevant to the field of chemical engineering, not up to date or have been published in other scientific magazines.

NOTATION

Notation is written alphabetically. Latin letters are written first, followed by an Arabic letter.

REFERENCES

References are listed alphabetically without numbering and the distance between the bibliography

is 1 space (10 pt). The rules of writing used are as follows:

Magazine/scientific journal/proceedings:

Sumin, L., Youguang, M.A., Chunying, Z., Shuhua, S., and Qing, H.E., (2009), The Effect of Hydrophobic Modification of Zeolites on CO₂ Absorption Enhancement, *Chinese Journal of Chemical Engineering*, 17(1), pp. 36-41.

Book:

Fogler, H.S., (2006), *Elements of Chemical Reaction Engineering*, 4th, Prentice Hall International, Upper Sadle River, New Jersey, pp. 47-93

Disertation/thesis:

Djaeni, M., (2008), Energy Efficient Multistage Zeolite Drying for Heat Sensitive Products, *PhD Thesis*, Wageningen University, The Netherlands.

Patent:

van Reis, R.D., (2006), Charged Filtration Membranes and Uses Therefore, *US Patent* 7,001,550.

HandBook:

Knothe, G., van Gerpen, J., and Krahl, J., (2005), *The Biodiesel Hanbook*, AOCS Press, Campaign, Illionis, USA, pp. 70-84

Mujumdar, A.S. and Hasan, M., (2006), Drying of Polymers in *Handbook of Industrial Drying*, editor A.S. Mujumdar, 3rd ed, Marcel Dekker, New York, pp. 954-978.