

Acredited: SK No.: 60/E/KPT/2016 Website: http://ejournal.undip.ac.id/index.php/reaktor/

Reaktor, Vol. 20 No. 2, June Year 2020

TITLES INDEX

Volu

Volume 20 Number 1 March 2020	
Optimization of Bio-oil Production from Empty Palm Fruit Bunches by Pyrolysis using Response Surface Methodology Tutuk Djoko Kusworo, Bayu Aji Pratama, and Dhea Putri Savira	1-9
Kinetics of Enzymatic Hydrolysis of Passion Fruit Peel using Cellulase in Bio-ethanol Production	10-17
Megawati, Astrilia Damayanti, Radenrara D. A. Putri, Angga Pratama, and Tsani Muftidar	
Antioxidant Properties of Different Types of Torbangun Herbal Tea Intan Cidarbulan Matita, Titri Siratantri Mastuti, and Smita Maitri	18-25
Response Surface Approach for Optimization of Protein Hydrolysis from Reutealis trisperma Cake as Potential Animal Feedstock Yuana Elly Agustin, Lieke Riadi, and Titie Prapti Utami	26-31
The Effects of Operational Conditions in Scaling Up of Xylanase Enzyme Production for Xylitol Production Diah Meilany, Dewinka Anugeraheni, Abdul Aziz, MTAP Kresnowati, and Tjandra Setiadi	32-37
Characterization of Antimicrobial Edible Films with Single and Double Emulsions from Clove (Syzygium aromaticum) Oil Kam Natania, and Giovani Fransisca Setiawan	38-46
Application of Square and Oblong Pore Shapes in Rotating Membrane Emulsification to Produce Novel Particulate Products Nita Aryanti, Richard A. Williams, and Qinchung Yuan	47-56
Volume 20 Number 2 June 2020	
Mercury Elemental Storage Tank Design Elvi Restiawaty, Yazid Bindar, Christian Aslan, and Alif Lutfia Masduqi	57-67
Effect of Ethanol Addition as Extraction Solvent on The Content of Bioactive Materials in Dragon Fruit Skin Extract and Powder Dian Shofinita, Yazid Bindar, Tjokorde Walmiki Samadhi, Arwinda Aprillia Jaelawijaya, and Mifta Fawwaz	68-74
Production of Bio-hydrocarbon from Refined-Bleach-Deodorized Palm Oil using Micro	75-80

Activity Test Reactor Dieni Mansur, Aminuddin, Verina J. Wargadalam	
Optimization of Xylose Production from Sugarcane Trash by Microwave-Maleic Acid Hydrolysis Euis Hermiati, Maulida Oktaviani, Riksfardini Annisa Ermawar, Raden Permana Budi Laksana, Lutfi Nia Kholida, Ahmad Thontowi, Siti Mardiana, and Takashi Watanabe	81-88
The Characterization of Synthetic Zeolite for Hydrocracking of Waste Cooking Oil into Fuel Siti Salamah, Agus Aktawan, Ilham Mufandi	89-95
Application of the Fenton Process in the Petroleum Refinery Spent Caustic Wastewater Treatment Riang Anggraini Rahmanisa, I Nyoman Widiasa	96-102
Membrane Technology Application for Fractionation Process to Obtain High Quality Glucosamine Nur Rokhati, Titik Istirokhatun, Nur 'Aini Hamada, and Dwi Titik Apriyanti	103-108



Acredited: SK No.: 60/E/KPT/2016 Website: http://ejournal.undip.ac.id/index.php/reaktor/

Reaktor, Vol. 20 No. 2, June Year 2020

AUTHORS INDEX

A	M
Agustin, Y.E., 26	Maitri, S., 18
Aktawan, A., 89	Mansur, D., 75
Aminuddin, 75	Mardiana, S., 81
Anugeraheni, D., 32	Masduqi, A.L., 57
Apriyanti, D.T., 103	Mastuti, T.S., 18
Aryanti, N., 47	Matita, I.C., 18
Aslan, C., 57	Megawati, 10
Aziz, A., 32	Meilany, D., 32
	Mufandi, I., 89
В	Muftidar, T., 10_
Bindar, Y., 57	
Bindar, Y., 68	N
	Natania, K., 38
D	rvatama, K., 50
Damayanti, A., 10	0
	Olstoviani M 91
E	Oktaviani, M., 81
Ermawar, R.A., 81	P
T.	Pratama, A., 10
Formula M 69	Pratama, B.A., 1_
Fawwaz, M., 68	Putri, R.D.A., 10
	,
H	R
Hamada, N.A'., 103	
Hermiati, E., 81	Rahmanisa, R.A., 96
т	Restiawaty, E., 57
I Istirokhatun, T., 103	Riadi, L., 26
Istrioknaturi, 1., 103	Rokhati, N., 103
J	
Jaelawijaya, A.A., 68	S
	Salamah, S., 89
K	Samadhi, T.W., 68
Kholida, L.N., 81	Savira, D.P., 1
Kresnowati, M., 32	Setiadi, T., 32
Kusworo, T.D., 1	Setiawan, G.F., 38
, ,	Shofinita, D., 68
L	
Laksana, R.P.B., 81	T
,	Thantowi, A., 81

U

Utami, T.P., 26

Widiasa, I.N., 96 Williams, R.A., 47

W

Wargadalam, V.J., 75 Watanabe, T., 81 Y

Yuan, Q., 47



Acredited: SK No.: 60/E/KPT/2016 Website: http://ejournal.undip.ac.id/index.php/reaktor/

Reaktor, Vol. 20 No. 2, June Year 2020

SUBJECTS INDEX

fractal kinetic, 10 A aeration, 32 fractionation, 103 animal feedstock, 26 antioxidant, 18 G anthocyanin, 68 Glucosamine, 103 В Betacyanin, 68 hazardous and toxic material, 57 bio-ethanol, 10 herbal tea, 18 bio-hydrocarbon, 75 humidity, 32 Bio-oil, 1 hydrocracking, 89 \mathbf{C} I Indonesia, 57 catalytic cracking, 75 cellulose, 10 clove oil, 38 \mathbf{L} LMWC, 103 D dragon fruit, 68 \mathbf{E} M edible film, 38 maleic acid, 81 Empty palm fruit bunches, 1 mercury, 57 environment, 57 micro activity test reactor, 75 microwave heating, 81 enzymatic hydrolysis, 10 extraction, 68 mixing, 32 MWCO, 103 \mathbf{o} Fenton process, 96 flavonoid, 18 Optimization, 1

OPEFBs, 32

food additives, 68

P

particles stabilised nanoparticles, 47 passion fruit peel, 10 phenolic, 18 polyurea microcapsules, 47 protein hydrolysis, 26 Pyrolysis, 1

R

RBDPO, 75 refinery wastewater, 96 response surface, 26 Response Surface Methodology, 1 response surface methodology, 81 Reutealis trisperma, 26

S

single and double emulsion, 38 slotted pore, 47 storage tanks, 57 sugarcane trash,81

T

torbangun, 18 tray fermenter, 32

\mathbf{U}

Ultrafiltration, 103

W

waste cooking oil, 89

\mathbf{X}

xylanase, 32 xylitol, 32 xylose, 81

\mathbf{Z}

zeolite A, 89



Acredited: SK No.: 60/E/KPT/2016 Website: http://ejournal.undip.ac.id/index.php/reaktor/

Reaktor, Vol. XX No. X, Month Year XXXX, pp. Xxx-xxx

Manuscript Preparation Guidelines

Author 11,2,*), Author 21, Author 32, and Author 43

¹⁾Department of Chemical Engineering, Faculty of Engineering, Diponegoro University
 Jl. Prof. Soedarto, SH, Tembalang, Semarang
 ²⁾Laboratory of Material Technology, UPT Terpadu Laboratory, Diponegoro University
 Jl. Prof. Soedarto, SH, Tembalang, Semarang
 ³⁾Center of Biomass and Renewable Energy (C-BIORE), UPT Terpadu Laboratory, Diponegoro University
 Jl. Prof. Soedarto, SH, Tembalang, Semarang

*)Corresponding author: j.reaktor@che.undip.ac.id

(Received: xx xx xxxx; Accepted: xx xx xxxx)

Abstract

Abstract title is written with Times News Roman style (10 pt and bold) and centered format. The body text of abstract was written italic style (10 pt) amounts 150-200 words, with left margin and right margin 25 mm and 20 mm from edge. The abstract should be clear, concise, and descriptive. This abstract should provide a brief introduction to the problem (preferably 1-2 sentences, objective of paper, research method in short, and a brief summary of results. The abstract should end with a comment on the significance of the results or a brief conclusion. The abstract is preferably not more than 300 words. Keywords written under the abstract text arranged in alphabetical order and separated by a semicolon. Title keywords written with regular format with 10 pt bold font while the key words in italics (italic).

Keywords: abstract; keyword; tittle; writing guidelines

INTRODUCTION

Reactor is published since 1997 with 2 (two) issues every year, i.e. June and December. In 2012, Reactor is published every April and October. Starting in 2016, Reactor is published 4 (four) times a year i.e. March, June, September and December. Reactor is a journal that has been accredited by SK No. 60/E/KPT/2016 with p-ISSN No. 0852-0798 and e-ISSN No. 2407-5973. Articles in the Reactor come from articles submitted to the Reactor Editor and after going through the review process by the Editorial Board and/or Reviewer. Articles submitted must be free from plagiarism and autoplagiarsm.

The Reactor as an accredited national journal has developed an online management system. The submitted/article submission process and article

review process are performed by online. Currently, Reactor has been indexed by some indexing machines such as; Indonesia Citation Index, Google Scholar, Portal Garuda, E-print UNDIP, Open access articles, Research Bible, *DAIJ (Directory of Abstract Indexing Journal)*, OAJI (*Open Academic Journal Index*), EZB Nutzeranfragen, World Cat, SHERPA/RoMEO and DOAJ.

Articles can be written in either English or Indonesia. Articles can be results of research, state of the art studies, and analysis and problem solving in industries relevant to the field of chemical engineering, which have not been published in other publications.

WRITING METHOD

General Instructions

Articles should be written on A4 paper (210 x 297 mm). Articles are written without page numbers and arranged in the following order: Title, Abstract, Keywords, Introduction, Research Method (or Model Development), Results and Discussion, Conclusions, Acknowledgments (if any), Notation List (if any) and References.

Writing Guidelines

The article begins with the title of the article written with Title Case format, font 16 pt bold. The title is an opportunity to attract the reader's attention. Remember that readers are the potential authors who will cite your article. Identify the main issue of the paper. Begin with the subject of the paper. The title should be accurate, unambiguous, specific, and complete. Do not contain infrequently-used abbreviations.

The author's name is written under the title with the Title Case format, font 12 pt bold. The author's name is written complete without an academic degree. Apostrophes are written behind the author's name in superscript format. The name of the institution (institution, address, phone number, facsimile number and e-mail) is written under the author's name with the theme of Times New Roman with Title Case format, 10 pt. If the author is more than one, should be written email for the correspondence author (corresponding author). Article title, author's name and institutional name are written flat center. The distance between the title and the author's name is 2 spaces (10 pt) and between the author's name and the institution name is 1 space (10 pt).

The contents of the article are written with a left margin of 25 mm, right margin 20 mm, bottom margin 20 mm and top margin 30 mm. The header distance from the edge of the paper is 20 mm, and the footer distance from the edge of the paper is 13 mm. Articles are written in MS Word program with Times New Roman font type, 10 pt font, 1 space and in two column format. The maximum number of article pages is 10 (including pictures and tables) and written justified. The beginning of the paragraph is written indented by a distance of 1 cm and the distance between paragraphs is 10 pt.

Subtitles are written in bold with UPPER CASE format and arranged align left with no number and underscore. Sub subtitles are written in bold with Title Case format and arranged align left with no number and underscore. Sub sub subtitles are written in bold with Sentence case format and arranged align left without numbers and underscores.

RESULTS AND DISCUSSION Figures and Tables

Figures and Tables are placed in groups of text and annotated. The figure is followed by the caption placed under the figure and the table followed by the caption placed on the table. The figures and the tables are numbered. The figure is guaranteed to be printed clearly even though it is reduced to 50%. Figure is not framed. For colorful images or graphics, please send as many as 300 sheets if you want to print in color. Tables with no vertical lines, whereas horizontal lines are only shown in 3 main horizontal lines i.e. 2 horizontal lines for the column headings and 1 closing line for the bottom row.




Figure 1. Flux Profile of Dye and Mixture of Dye and Surfactant Ultrafiltration at Remazol Blue concentration of 90 mg/l

Table 1. The microalgae composition of the Tetraselmis chuii species

Component	Composition (% w/w)
α-sellulose	47.2 %
Hemisellulose	35.5%
HWS	17%

Equations

The equations are written center and numbered in parentheses. The number is placed at the end of the right margin of the column.

$$D = \frac{A}{\left(V_{rel}^2 \rho_a\right)^2} + B \left(\frac{M_{air}}{M_{liq}}\right)^{-\beta}$$
 (1)

Quote Writing

The writing system quotes a manuscript or literature using the Harvard system. The literature source is composed only of the author's name and the year of its publication. Examples: Attempts to search for better heat storage systems have been widely used, including the latent heat melting of PCM (Yanadoro and Matsuda, 2006 for one or two authors; Smith et al., 2011 for more than two authors). According to (2010),etc.

CONCLUSION

Articles submitted / registered online by accessing the website of the Reactor with the following address; http://ejournal.undip.ac.id/index.php/reaktor/index. Author must have a

username and keyword to be able to register the article. Metadata must be filled in completely. The article should be supplemented by a Declaration Letter stating that the article is free from conflict and plagiarism. For prospective Authors who have not been able to submit online can contact the Editor via E-mail with the address j.che@che.undip.ac.id atau reaktor_tkundip@yahoo.com.

The submitted articles will be reviewed by the Editorial Board and/or Reviewers. Correspondence will be addressed to the corresponding author. The author should immediately improve the article according to the reviewer's instructions. If the article has been declared acceptable, either the Main Revision or Minor Revision, the Author must correct it no later than 15 days after the notice. If the author does not improve his article more than 15 days, then when submitting the article will be considered as a new registration (New Submission).

The editor reserves the right to reject articles submitted if irrelevant to the field of chemical engineering, not up to date or have been published in other scientific magazines.

NOTATION

Notation is written alphabetically. Latin letters are written first, followed by an Arabic letter.

REFERENCES

References are listed alphabetically without numbering and the distance between the bibliography

is 1 space (10 pt). The rules of writing used are as follows:

Magazine/scientific journal/proceedings:

Sumin, L., Youguang, M.A., Chunying, Z., Shuhua, S., and Qing, H.E., (2009), The Effect of Hydrophobic Modification of Zeolites on CO₂ Absorption Enhancement, *Chinese Journal of Chemical Engineering*, 17(1), pp. 36-41.

Book:

Fogler, H.S., (2006), *Elements of Chemical Reaction Engineering*, 4th, Prentice Hall International, Upper Sadle River, New Jersey, pp. 47-93

Disertation/thesis:

Djaeni, M., (2008), Energy Efficient Multistage Zeolite Drying for Heat Sensitive Products, *PhD Thesis*, Wageningen University, The Netherlands.

Patent:

van Reis, R.D., (2006), Charged Filtration Membranes and Uses Therefore, *US Patent* 7,001,550.

HandBook:

Knothe, G., van Gerpen, J., and Krahl, J., (2005), *The Biodiesel Hanbook*, AOCS Press, Campaign, Illionis, USA, pp. 70-84

Mujumdar, A.S. and Hasan, M., (2006), Drying of Polymers in *Handbook of Industrial Drying*, editor A.S. Mujumdar, 3rd ed, Marcel Dekker, New York, pp. 954-978.